

```

EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEEEEEEEEEEEEE DDD DDD
EEEEEEEEEEEEEE DDD DDD
EEEEEEEEEEEEEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEE DDD DDD
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDD

```

EXE

Mod

ED

ED:

ED

ED

ED

ED

ED

ED

ED1

ED

SYN
LIB

LI

```
EEEEEEEEEE XX XX EEEEEEEEEE CCCCCCCC NN NN 000000 000000
EEEEEEEEEE XX XX EEEEEEEEEE CCCCCCCC NN NN 000000 000000
EE XX XX EE EEEEEEEEEE CC CCCCCCCC NN NN 00 00 00 00
EE XX XX EE EEEEEEEEEE CC CCCCCCCC NN NN 00 00 00 00
EE XX XX EE EEEEEEEEEE CC CCCCCCCC NN NN 00 00 00 00
EE XX XX EE EEEEEEEEEE CC CCCCCCCC NN NN 00 00 00 00
EEEEEEEEEE XX XX EEEEEEEEEE CCCCCCCC NN NN 00 00 00 00
EEEEEEEEEE XX XX EEEEEEEEEE CCCCCCCC NN NN 00 00 00 00
EE XX XX EE EEEEEEEEEE CC CCCCCCCC NN NN 00 00 00 00
EE XX XX EE EEEEEEEEEE CC CCCCCCCC NN NN 00 00 00 00
EE XX XX EE EEEEEEEEEE CC CCCCCCCC NN NN 00 00 00 00
EE XX XX EE EEEEEEEEEE CC CCCCCCCC NN NN 00 00 00 00
EEEEEEEEEE XX XX EEEEEEEEEE CCCCCCCC NN NN 000000 000000
EEEEEEEEEE XX XX EEEEEEEEEE CCCCCCCC NN NN 000000 000000
.....
```

```
LL 111111 SSSSSSSS
LL 111111 SSSSSSSS
LL 11 SSS
LL 11 SSS
LL 11 SSS
LL 11 SSSSSS
LL 11 SSSSSS
LL 11 SSS
LL 11 SSS
LL 11 SSS
LL 11 SSS
LLLLLLLLLL 111111 SSSSSSSS
LLLLLLLLLL 111111 SSSSSSSS
```

```
0001 0 %TITLE 'EDT$EXECNOO - Call EDT$EXEC from EDT$MACCAL'
0002 0 MODULE EDT$EXECNOO ( ! Call EDT$EXEC from EDT$MACCAL
0003 0 IDENT = 'V04-000' ! File: EXECNOO.BLI Edit: JBS1003
0004 0 ) =
0005 1 BEGIN
0006 1
0007 1 *****
0008 1 *
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0011 1 * ALL RIGHTS RESERVED.
0012 1 *
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0018 1 * TRANSFERRED.
0019 1 *
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0022 1 * CORPORATION.
0023 1 *
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0026 1 *
0027 1 *
0028 1 *****
0029 1
0030 1
0031 1 ++
0032 1 FACILITY: EDT -- The DEC Standard Editor
0033 1
0034 1 ABSTRACT:
0035 1
0036 1 This module provides a path for EDT$MACCAL to call EDT$EXEC
0037 1 and get itself reloaded into memory upon return.
0038 1
0039 1 ENVIRONMENT: Runs at any access mode - AST reentrant
0040 1
0041 1 AUTHOR: John Sauter, CREATION DATE: 15-Mar-1982
0042 1
0043 1 MODIFIED BY:
0044 1
0045 1 1-001 - Original. JBS 15-Mar-1982
0046 1 1-002 - Pass back status from edt$exe cmd. STS 16-Jul-1982
0047 1 1-003 - Improve the appearance of the listing. JBS 14-Jun-1983
0048 1 --
0049 1
```

EDT\$EXECNOO
V04-000

EDT\$EXECNOO - Call EDT\$EXEC from EDT\$MACCAL
Declarations

K 7
16-Sep-1984 00:18:01
14-Sep-1984 12:23:02

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]EXECNOO.BLI;1
Page 2
(2)

```
: 51      0050 1 %SBTTL 'Declarations'
: 52      0051 1
: 53      0052 1 : TABLE OF CONTENTS:
: 54      0053 1 :
: 55      0054 1
: 56      0055 1 REQUIRE 'EDTSRC:TRAROUNAM';
: 57      0494 1
: 58      0495 1 FORWARD ROUTINE
: 59      0496 1     EDT$EXE_CMD_NOOVERLAY;
: 60      0497 1
: 61      0498 1 :
: 62      0499 1 : INCLUDE FILES:
: 63      0500 1 :
: 64      0501 1
: 65      0502 1 REQUIRE 'EDTSRC:EDTREQ';
: 66      0637 1
: 67      0638 1 :
: 68      0639 1 : MACROS:
: 69      0640 1 :
: 70      0641 1 :     NONE
: 71      0642 1 :
: 72      0643 1 : EQUATED SYMBOLS:
: 73      0644 1 :
: 74      0645 1 :     NONE
: 75      0646 1 :
: 76      0647 1 : OWN STORAGE:
: 77      0648 1 :
: 78      0649 1 :     NONE
: 79      0650 1 :
: 80      0651 1 : EXTERNAL REFERENCES:
: 81      0652 1 :
: 82      0653 1 :     In the routine
```

EDT\$EXECNOO
V04-000

EDT\$EXECNOO - Call EDT\$EXEC from EDT\$MACCAL
EDT\$\$EXE_CMD_NOOVERLAY - call EDT\$\$EXE_CMD

L 7
16-Sep-1984 00:18:01
14-Sep-1984 12:23:02

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]EXECNOO.BLI;1
Page 3
(3)

```

84 0654 1 %SBTTL 'EDT$$EXE_CMD_NOOVERLAY - call EDT$$EXE_CMD'
85 0655 1
86 0656 1 GLOBAL ROUTINE EDT$$EXE_CMD_NOOVERLAY (      ! Execute commands
87 0657 1     SOURCE                                ! New input source
88 0658 1     ) =
89 0659 1
90 0660 1 ++
91 0661 1 FUNCTIONAL DESCRIPTION:
92 0662 1
93 0663 1     Call EDT$$EXE_CMD from EDT$MACCAL, reload EDT$MACCAL and return.
94 0664 1
95 0665 1 FORMAL PARAMETERS:
96 0666 1
97 0667 1     SOURCE                new input source
98 0668 1
99 0669 1 IMPLICIT INPUTS:
100 0670 1
101 0671 1     NONE
102 0672 1
103 0673 1 IMPLICIT OUTPUTS:
104 0674 1
105 0675 1     NONE
106 0676 1
107 0677 1 ROUTINE VALUE:
108 0678 1
109 0679 1     0 - We have seen an EXIT command; EDT$$G_EXITD will be set
110 0680 1     1 - We have reached end of file.
111 0681 1     2 - We saw a control C.
112 0682 1
113 0683 1 SIDE EFFECTS:
114 0684 1
115 0685 1     NONE
116 0686 1
117 0687 1 --
118 0688 1
119 0689 2 BEGIN
120 0690 2
121 0691 2 EXTERNAL ROUTINE
122 0692 2     EDT$$EXE_CMD_NOOVERLAY_REF,      ! The real routine (special name for overlay analysis)
123 0693 2     EDT$$LOAD_MACCAL : NOVAlUE;      ! Make sure module EDT$MACCAL is in memory
124 0694 2
125 0695 2 LOCAL
126 0696 2     EOF_FLAG;
127 0697 2
128 0698 2     EOF_FLAG = EDT$$EXE_CMD_NOOVERLAY_REF (.SOURCE);
129 0699 2 ++
130 0700 2 Make sure the module EDT$MACCAL is in memory. That module's call to us is excluded
131 0701 2 from the analysis done to construct the overlay tree, as is our call to EDT$$EXE_CMD.
132 0702 2 --
133 0703 2     EDT$$LOAD MACCAL ();
134 0704 2     RETURN (.EOF_FLAG);
135 0705 1 END;

! of routine EDT$$EXE_CMD_NOOVERLAY
```

```

.TITLE EDT$EXECNOO EDT$EXECNOO - Call EDT$EXEC from ED
      T$MACCAL
.IDENT \V04-000\
```

EDT\$EXECNOO
V04-000

EDT\$EXECNOO - Call EDT\$EXEC from EDT\$MACCAL
EDT\$\$EXE_CMD_NOOVERLAY - call EDT\$\$EXE_CMD

M 7
16-Sep-1984 00:18:01
14-Sep-1984 12:23:02

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]EXECNOO.BLI;1 Page 4 (3)

				0004	00000
		04	AC	DD	00002
00000000G	00		01	FB	00005
	52		50	DO	0000C
00000000G	00		00	FB	0000F
	50		52	DO	00016
				04	00019

.EXTRN	EDT\$\$EXE_CMD_NOOVERLAY_REF	
.EXTRN	EDT\$\$LOAD_MACCAL	
.PSECT	_EDT\$CODE,NOWRT, SHR, PIC,2	
.ENTRY	EDT\$\$EXE_CMD_NOOVERLAY, Save R2	: 0656
PUSHL	SOURCE	: 0698
CALLS	#1, EDT\$\$EXE_CMD_NOOVERLAY_REF	
MOVL	R0, EOF_FLAG	
CALLS	#0, EDT\$\$LOAD_MACCAL	: 0703
MOVL	EOF_FLAG, R0	: 0704
RET		: 0705

: Routine Size: 26 bytes, Routine Base: _EDT\$CODE + 0000

: 136	0706	1	
: 137	0707	1	!<BLF/PAGE>

EDT\$EXECNOO
V04-000

EDT\$EXECNOO - Call EDT\$EXEC from EDT\$MACCAL
EDT\$\$EXE_CMD_NOOVERLAY - call EDT\$\$EXE_CMD

N 7
16-Sep-1984 00:18:01
14-Sep-1984 12:23:02

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]EXECNOO.BLI;1
Page 5
(4)

: 139 0708 1 END
: 140 0709 1
: 141 0710 0 ELUDOM

! of module EDT\$EXECNOO

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	26	NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	0	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:EXECNOO/OBJ=OBJ\$:EXECNOO MSRC\$:EXECNOO.BLI/UPDATE=(ENH\$:EXECNOO)

: Size: 26 code + 0 data bytes
: Run Time: 00:08.9
: Elapsed Time: 00:10.7
: Lines/CPU Min: 4781
: Lexemes/CPU-Min: 12626
: Memory Used: 52 pages
: Compilation Complete

0133 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

EXTEND
LIS

FDEC
LIS

FILL
LIS

FINDPARA
LIS

FCRLF
LIS

EDT
LIS

EXEC
LIS

EXECNOO
LIS

FILEIO
LIS

EDTVECTOR
LIS

FINDKEY
LIS

FCOLINC
LIS

FINAL
LIS

FINDHDLR
LIS

DEFKEY
LIS

ERRMSG
LIS

FCVAR
LIS